
Stearns County, Minnesota


[Absence of an entry indicates that data were not estimated]

	5			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
5A: Dakota	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
5B: Dakota	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
7A: Hubbard	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
7B: Hubbard	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
7C: Hubbard	90	Very poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
25: Becker	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Good
32B: Nebish	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
32C: Nebish	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
32E: Nebish	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
32F: Nebish	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor




Stearns County, Minnesota

Map symbol and soil name	Data of			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
35:											
Blue Earth	100	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Poor	Good
36:											
Flom	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
38B: Waukon	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
38C: Waukon	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
38D: Waukon	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
41A: Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
41B: Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
41C: Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
69B: Fedji	90	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
72: Shooker	90	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good



Stearns County, Minnesota

	Pct. of			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
75:					_	_		_		_	_
Bluffton	100	Fair	Good	Good	Poor	Poor	Fair	Poor	Fair	Poor	Poor
109:											
Cordova	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
114:											
Glencoe	100	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
119B:											
Pomroy	90	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
125:											
Beltrami	90	Good	Good	Good	Good	Fair	Very poor	Very poor	Good	Good	Very poor
400-											
129: Cylinder	90	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
-											
133B: Dalbo	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
	00		0000	0 000	0000	2004	. o., poo.	, o., poo.	0000	2004	. o., poo.
142: Nokay	90	Fair	Good	Good	Good	Good	Fair	Poor	Good	Good	Fair
Noray	90	raii	Good	Good	Good	Good	raii	FUUI	Good	Good	raii
144B:							_				
Flak	90	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
144C:											
Flak	90	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor




Stearns County, Minnesota

Map symbol and soil name	Data of			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
144E:											
Flak	90	Poor	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
155B:											
Chetek	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
156A: Fairhaven	90	Good	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor
ramavon	50	0000	0000	0 000	. un	1 4.1	voly pool	voly pool	Occu	1 4.11	voly pool
156B:											
Fairhaven	90	Good	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor
159B:											
Anoka	90	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
163B:											
Brainerd	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
179B:	00	Foir	Good	Good	Good	Good	Poor	Voruncer	Good	Good	Poor
Langola	90	Fair	Good	Good	Good	G000	P001	Very poor	Good	Good	P00I
180A:											
Gonvick	90	Good	Good	Good	Good	Fair	Poor	Poor	Good	Good	Poor
180B:											
Gonvick	90	Good	Good	Good	Good	Fair	Very poor	Very poor	Good	Good	Very poor
404											
181: Litchfield	90	Fair	Good	Good	Good	Good	Fair	Poor	Good	Good	Poor
	50	1 411	0000	0000	0000	0000	· un		0000	0000	1 001




Stearns County, Minnesota

	5. (Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
183:												
Dassel	90	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
200B:												
Holdingford	90	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
200C:												
Holdingford	90	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
204B:												
Cushing	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
2040.												
204C: Cushing	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
204E: Cushing	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
-							. , ,	,,,,,,			. , ,	
207B: Nymore	90	Poor	Fair	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor	
Nymore	90	1 001	ı alı	i ali	1 001	ı alı	very poor	very poor	1 001	ran	very poor	
207C:	00	Poor	Fair	Fair	Poor	Foir.	\/om/ noor	Vancas	Poor	Fair	\/o=, ====	
Nymore	90	P001	raii	raii	P001	Fair	Very poor	Very poor	P00I	ган	Very poor	
207E:			_		_							
Nymore	100	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Very poor	Fair	Very poor	
218:												
Watab	90	Fair	Fair	Good	Good	Fair	Good	Good	Fair	Good	Good	




Stearns County, Minnesota

Map symbol and soil name	Data of			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
233B:	00	Cand	0	0	0	Caad	D	Dans	Cand	F-:-	Deer
Growton	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Fair	Poor
236:											
Vallers	90	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good
055.											
255: Mayer	90	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
,											
260:											
Duelm	90	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
261:											
Isan	90	Poor	Fair	Good	Poor	Poor	Good	Good	Good	Poor	Good
281: Darfur	90	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Danui	90	ran	raii	ran	raii	raii	Good	Good	raii	raii	Good
292B:											
Alstad	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
318:											
Mayer, depressional	100	Fair	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
325:			_	_	_	_			_	_	
Prebish, depressional	90	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
327A:											
Dickman	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor




Stearns County, Minnesota

Map symbol	5. (Potent	al for habitat	elements			Pote	ntial as habi	al as habitat for	
and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
327B:												
Dickman	95	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
392:												
Biscay	90	Good	Good	Good	Good	Fair	Good	Good	Good	Fair	Good	
399: Biscay, depressional	100	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good	
biscay, acpressional	100	ı alı	ı alı	ı alı	ı alı	1 001	0000	0 000	ı alı	ı alı	Good	
406B:												
Dorset	90	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
406C:												
Dorset	90	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
406E:		_	_				.,	.,	_			
Dorset	90	Poor	Poor	Good	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
413:												
Osakis	90	Fair	Fair	Fair	Poor	Poor	Poor	Poor	Fair	Poor	Poor	
414: Hamel	90	Good	Good	Fair	Good	Fair	Good	Good	Good	Fair	Good	
Hamei	90	3 000	0000	ı alı	0 000	ı an	0000	0 000	Cood	ı alı	Good	
421B:												
Ves	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
421C:												
Ves	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
							71	71			, ,	




Stearns County, Minnesota

	Pct. of			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
4404												
446A: Normania	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
446B: Normania	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
453B: DeMontreville	90	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
453C: DeMontreville	90	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Fair	Poor	Very poor	
454B: Mahtomedi	90	Poor	Fair	Fair	Poor	Fair	Very poor	Very poor	Fair	Fair	Very poor	
454C: Mahtomedi	90	Poor	Fair	Fair	Poor	Fair	Very poor	Very poor	Fair	Fair	Very poor	
454E: Mahtomedi	90	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor	
454F: Mahtomedi	90	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor	
459: Corunna	95	Good	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
461B: Koronis	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	



	D			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
	-										
465: Kalmarville, frequently flooded	100	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
511: Marcellon	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
525: Muskego	90	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
540: Seelyeville	100	Very poor	Poor	Good	Poor	Poor	Good	Good	Fair	Poor	Good
541: Rifle	90	Fair	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
543: Markey	100	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
544: Cathro	90	Poor	Fair	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
565: Eckvoll	90	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
566: Regal	90	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good




Stearns County, Minnesota


Map symbol and soil name	Data of			Potenti	al for habitat	elements			Poter	ntial as habi	tat for
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
571:											
Coriff	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
572:											
Lowlein	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
582:											
Roliss	90	Good	Good	Good	Fair		Good	Fair	Good	Fair	Fair
591B:											
Doland	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
597:											
Tara	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
611C:											
Hawick	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
0448											
611D: Hawick	95	Very poor	Very poor	Fair	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
		,,	, ,				, ,	,,	71		, ,
639A: Ridgeport	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
raagopon	30	1 411	, an	, an	r dii	1 (11)	voly poor	voly pool	7 4.11	. un	70.y pool
639B:	00	Fair	Fair	Fair	Fair	Fair	Very poor	Varunoor	Fair	Fair	Voncen
Ridgeport	90	Ган	Ган	Ган	Ган	Ган	very poor	Very poor	Ган	Гаш	Very poor
804D:		5						.,			.,
Koronis	70	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Fair	Very poor




Map symbol and soil name	5. (Potent	ial for habitat	elements			Pote	ntial as hab	itat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
											_
804D:											
Estherville	20	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
848:											
Urban land	80										
Osakis	20	Fair	Fair	Fair	Poor	Poor	Poor	Poor	Fair	Poor	Poor
850:											
Urban land	80										
Dassel	20	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
865B:											
Urban land	90										
Hubbard	10	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
873:											
Prebish	45	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Fair	Poor	Fair
Nokay	35	Fair	Good	Good	Good	Good	Fair	Poor	Good	Good	Fair
875B:											
Estherville	55	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Hawick	35	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor



Map symbol		Potential for habitat elements Potential as h									abitat for	
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
954C:												
Ves	70	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Storden	25	Fair	Good	Good	Fair	Poor	Very poor	Very poor	Fair	Fair	Very poor	
954D:												
Ves	60	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
Storden	40	Fair	Good	Good	Fair	Poor	Very poor	Very poor	Fair	Fair	Very poor	
999B:												
Ves	65	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
Estherville	20	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
999C:												
Ves	65	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Estherville	25	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
999D:												
Ves	65	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
Estherville	25	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor	
1013:												
Pits, quarry	100											




				Poter	ntial as habi	tat for					
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
1015:											
Psamments, sloping	100										
1016:											
Udorthents, loamy	100										
1018:											
Udifluvents, frequently flooded	90	Very poor	Poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good
1029:											
Pits, gravel	100										
1055:											
Haplaquolls, ponded	50										
Histosols, ponded	50	Very poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
1064:											
Rock outcrop	55										
Lithic Eutrochrepts	45										
1163:											
Cohoctah, frequently flooded	90	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
Havelock	10										




Stearns County, Minnesota

	D			Potent	ial for habitat	elements			Potential as habitat for		
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
1805:											
Blue Earth, variant	100	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Poor	Good
1825C:											
Seelyeville, sloping	100	Poor	Poor	Good	Poor	Poor	Good	Good	Good	Poor	Good
4000.											
1828: Glencoe	85	Poor	Good	Good	Fair	Fair	Good	Good	Fair	Fair	Good
1842F:		_									
Cushing, steep	50	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Flak, steep	40	Poor	Fair	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
10.100											
1843C: Cushing	50	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Custing	50	raii	Good	Good	Good	Good	very poor	very poor	Good	Good	very poor
DeMontreville	35	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Fair	Poor	Very poor
40405.											
1843E: Cushing	45	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
	10						, p	, p			, , ,
DeMontreville	40	Very poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Fair	Poor	Very poor
1879:											
Seelyeville, calcareous	100	Very poor	Poor	Good	Poor	Poor	Good	Good	Fair	Poor	Good
1880: Martisco	90	Very poor	Poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
Mai (1300	30	very poor	1 001	very poor	very poor	very poor	Good	Good	very poor	very poor	Good



Stearns County, Minnesota


				Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
											_	
1892:												
Prebish	95	Fair	Fair	Good	Fair	Poor	Good	Good	Fair	Fair	Good	
1902B:												
Jewett	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
L307B:												
Koronis	80	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
L307C2:												
Koronis, moderately	75	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
eroded												
L307E:												
Koronis	75	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Fair	Very poor	
L316B:												
Haplosaprists, calcareous	70	Very poor	Poor	Fair	Poor	Poor	Good	Good	Good	Poor	Good	
Aquolls	20	Very poor	Poor	Fair	Poor	Poor	Good	Good	Good	Poor	Good	
•	_0	. , ,										
L317A: Barry	85	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good	
Dairy	03	Good	Good	Good	i ali	ı alı	Good	Good	0000	ı alı	Good	
L318A:	0.5	0 1	0 1	E-1-	E-1-	F-:-	0 1	0 1	0 1	5	01	
Lundlake	85	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good	
L319A:												
Swedegrove	65	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good	



	T		Potential for habitat elements								Potential as habitat for		
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life		
L319A:													
Lundlake	20	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good		
L320A:													
Klossner, frequently flooded	45	Poor	Poor	Good	Poor	Poor	Good	Good	Poor	Poor	Good		
Muskego, frequently flooded	45	Poor	Poor	Good	Poor	Poor	Good	Good	Poor	Poor	Good		
L321A:													
Swedegrove	85	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good		
L322A:													
Uniongrove	80	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good		
L323A:													
Crowriver	90	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good		
L324A:													
Forestcity, overwash	45	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good		
Forestcity	40	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good		
1 orestony	40	0000	Good	i ali	i ali	ran	0000	Good	Ooou	ı alı	0000		
L325A:	45	Fair.	Fair.	E-i-	F-:-	Daar	Cood	0	F-:-	F-:-	Cood		
Crowriver	45	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good		
Lundlake	35	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good		




	5. (Poten	tial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
L326B:												
Rohrbeck	55	Fair	Good	Good	Fair	Good	Very poor	Very poor	Fair	Good	Very poor	
Koronis	35	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
L330A:												
Blue Earth, ponded	30	Very poor	Very poor	Good	Very poor	Very poor	Good	Good	Very poor	Very poor	Good	
Houghton, ponded	30	Very poor	Very poor	Good	Very poor	Very poor	Good	Good	Very poor	Very poor	Good	
Muskego, ponded	30	Very poor	Very poor	Good	Very poor	Very poor	Good	Good	Very poor	Very poor	Good	
L331A:												
Klossner, drained, lundlake catena	80	Good	Good	Good	Good	Good	Poor	Fair	Good	Good	Poor	
L333A:												
Blue Earth, lundlake catena, surface drained	70	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Poor	Good	
Blue Earth, lundlake catena, drained	20	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Poor	Good	
L334A:												
Houghton, surface drained	40	Poor	Poor	Good	Poor	Poor	Good	Good	Poor	Poor	Good	
Muskego, surface drained	40	Poor	Poor	Good	Poor	Poor	Good	Good	Poor	Poor	Good	




Stearns County, Minnesota


	5			Potent	ial for habitat	elements			Potential as habitat for				
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life		
L335A:													
Klossner, surface drained, lundlake catena	65	Poor	Poor	Good	Poor	Poor	Good	Good	Poor	Poor	Good		
Klossner, drained, lundlake catena	20	Good	Good	Good	Good	Good	Poor	Fair	Good	Good	Poor		
L337B:													
Wadenill	65	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor		
Sunburg	20	Good	Good	Good	Fair	Fair	Poor	Very poor	Good	Fair	Very poor		
L347A:													
Klossner, lundlake catena, ponded	50	Very poor	Very poor	Good	Very poor	Very poor	Good	Good	Very poor	Very poor	Good		
Lundlake, ponded	45	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good		
L350A:													
Marcellon	85	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair		
L351A:													
Houghton, drained	80	Good	Good	Good	Good	Good	Poor	Fair	Good	Good	Poor		
L352A:													
Muskego, drained, lundlake catena	90	Good	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good		
L355B:													
Koronis	50	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor		



	-			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
L355B:												
Sunburg	20	Good	Good	Good	Fair	Fair	Poor	Very poor	Good	Fair	Very poor	
Hawick	15	Poor	Poor	Good	Poor	Poor	Very poor	Very poor	Good	Poor	Very poor	
L355C2:												
Koronis, moderately eroded	45	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Sunburg, moderately eroded	25	Fair	Good	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Hawick	15	Poor	Good	Good	Poor	Poor	Very poor	Very poor	Good	Poor	Very poor	
L355D2:												
Koronis, moderately eroded	40	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Sunburg, moderately eroded	30	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Hawick	15	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
L355E:												
Koronis	50	Poor	Fair	Fair	Good	Good	Very poor	Very poor	Fair	Fair	Very poor	
Sunburg	20	Poor	Poor	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Hawick	15	Very poor	Very poor	Fair	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor	



	5			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
L356C2:												
Sunburg, moderately eroded	60	Fair	Good	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Wadenill, moderately eroded	30	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
L356D2:												
Sunburg, moderately eroded	70	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Wadenill, moderately eroded	20	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
L357B:												
Koronis	60	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Sunburg	20	Good	Good	Good	Fair	Fair	Poor	Very poor	Good	Fair	Very poor	
L357C2:												
Koronis, moderately eroded	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Sunburg, moderately eroded	20	Fair	Good	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
L357D2: Koronis, moderately eroded	65	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	



Management	Pct. of			Potent	ial for habitat	elements			Potential as habitat for		
Map symbol and soil name	,	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
L357D2: Sunburg, moderately eroded	20	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
M-W: Water, miscellaneous	100										
W: Water	100										

